

# HI-SIL<sup>®</sup> 233



# HI-SIL<sup>®</sup> 233

SYNTHETIC PRECIPITATED SILICA

CAS #7631-86-9

MEETS FOOD CHEMICALS CODEX SPECIFICATIONS

CAUTION! MAY CAUSE IRRITATION

### Handling And Storage Recommendations

- Use only with adequate ventilation sufficient to limit employee exposure below the permissible exposure limit.
- Avoid prolonged or repeated inhalation of dust. May irritate respiratory tract.
- Avoid contact with eyes or extensive contact with skin. May cause drying and discomfort.
- Wash thoroughly every day after work.
- New Jersey Right-To-Know: Airtel contains Sodium Chloride (CAS No. 7647-14-5).
- Use NIOSH/MSHA-approved mechanical filter respirators when exposures exceed the permissible exposure limit.
- Preclude surface abrasions caused by grinding or mixing with abrasives may alter technological properties.
- Store in a dry, well-ventilated area.
- When transferring material into flammable solvents, use ground grounding to avoid electrical sparks.
- For additional product information, refer to MSDS or contact PPG Industries, Inc.
- Vacuum any spilled material and place in closed plastic bags for disposal.

OSHA Permissible Exposure Limit

6 mg/m<sup>3</sup> (total dust), 6-hour TWA

SCOP 1010 1000  
(Rev. 5/1999)

NET WEIGHT: 44 Pounds  
20 Kilograms



PPG Industries, Inc.  
One PPG Place  
Pittsburgh, PA 15277

© 1999 PPG Industries, Inc.

MADE IN U.S.A.

LE234-1112

EMERGENCY TELEPHONE NUMBER, PPG INDUSTRIES, INC., NATRIUM, WV (304) 843-1300

HI-SIL<sup>®</sup> 233

HI-SIL<sup>®</sup> 233

# HI-SIL<sup>®</sup> 233